

PRODUCT-DETAILS

S2C-A2L

S2C-A2L Shunt Trip



General Information

Extended Product Type	S2C-A2L
Product ID	2CDS200907R0002
EAN	4016779649728
Catalog Description	S2C-A2L Shunt Trip
Long Description	S2C-A2L Shunt-Trip

Technical

Function	Shunt Trip
Power Loss	0 W

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Information	2CDK400627D2701
REACH Declaration	9AKK107492A1906
SCIP	4906475e-2b37-45cb-918c-db295dd155a2 Germany (DE)
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Product Net Width	17.5 mm
Product Net Height	69 mm
Product Net Depth / Length	85 mm
Product Net Weight	0.14 kg

Ordering

Package Level 1 Units	carton 1 piece
Package Level 1 Gross Weight	0.145 kg

Certificates and Declarations

Declaration of Conformity - CE	2CDK400627D2701
Declaration of Conformity - UKCA	9AKK108467A5488

Installation

Instructions and Manuals	GHS2007016P0004
--------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information	No document needed
-----------------------------------	--------------------

Classifications

ETIM 8	EC001286 - Auxiliary device for distribution board devices
ETIM 9	EC001286 - Auxiliary device for distribution board devices
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	8536 50 80
UNSPSC	39121614
eClass	V11.0 : 27143502
IDEA Granular Category Code (IGCC)	4879 >> Shunt release (for power circuit breaker)
Object Classification Code	Q

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Miniature Circuit Breakers MCBs → Miniature Circuit Breakers MCBs Accessories

