C11 110-301 1/4



PRODUCT-DETAILS

C11 110-301

Energy meter 'Steel', None, Single-phase, 5 A



General Information	
Extended Product Type	C11 110-301
Product ID	2CMA103572R1000
EAN	7392696035729
Catalog Description	Energy meter 'Steel', None, Single-phase, 5 A
Long Description	Basic compact meters for use in residential applications for single or multi family houses or in stand alone applications. To be used in a four wire system. The meter has instrumentation values. Single phase direct connected for active energy. One output for pulses or alarm etc. Accuracy class 1.0 (or B for MID meters). The meters is IEC approved. 1000 imp/kWh.

ABB EcoSolutions	
Environmental Product	9AKK108467A4138
Declaration - EPD	

Technical	
Function	Electricity meter

C11 110-301 2/4

Sub-Function	Steel
Rated Voltage (U _r)	230 V
Voltage Range	184264 V
Rated Current (I _n)	5 A Maximum 40 A
Current Rating	5 A
Rated Frequency (f)	50 / 60 Hz
	0.22 W
Power Loss	0.22 W
Communication Interface	None
Accuracy	Active Energy Class ±0.5%
Measuring Instrument Conformity	IEC 62053-22
Meter Tariff Rating	One-Tariff
Pulse Output Rate	1000
Number of Poles	1
Number of Phases	Single-phase
Number of Counter Positions	6
Number of Digital In/Outputs	1 DO
Meter Type	Direct connected
Mounting Type	DIN-Rail
Pulse Output Type	Electrical
Type of Indicator	Digital
Enclosure Material	Polycarbonate in transparent front glass and terminal cover. Glass reinforced polycarbonate in housing.
I/O Option	1 digital output

Material Compliance	М	ate	erial	Co	am	lian	ce
---------------------	---	-----	-------	----	----	------	----

RoHS Information	2CMC486003
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
RoHS Date	2011-44
REACH Declaration	9AKK108467A9482
REACH Information	True - contains substances > 0.1 mass percentage
REACH Date	20240429
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental

Ambient Air	Operation -25 70 °C
Temperature	
Degree of Protection	IP20
Environmental	2CMC486005D0001
Information	

Dimensions

Width in Number of	1
Modular Spacings	
Product Net Width	17.5 mm

C11 110-301 3/4

Product Net Height	26.5 mm
Product Net Depth / Length	65 mm
Product Net Weight	0.066 kg
Dimension Diagram	2CMC486001M0201

Ordering	
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	98 g
E-Number (Finland)	6701063
F-Number (Norway)	8200082

Certificates and Declarations	
Declaration of	2CMC486001D0001
Conformity - CE	

Installation	
Instructions and	2CMC486006M0201
Manuals	

Popular Downloads	
Data Sheet, Technical	2CMC486001M0201
Information	

Classifications			
ETIM 8	EC001506 - Kilowatt-hour meter		
ETIM 9	EC001506 - Kilowatt-hour meter		
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)		
WEEE B2C / B2B	Business To Consumer		
CN8	90283011		
eClass	V11.0:27142316		
Object Classification Code	P		

Accessories						
Identifier	Description	Type Quantity		Unit Of Measure		
2CCG000242R0001	Control unit	SCU100	1	piece		
2CDG110226R0011	Energy Management	QA/S3.16.1	1	piece		
2CDG110227R0011	Energy Management	QA/S3.64.1	1	piece		

C11 110-301 4/4

Categories

 $Low\ Voltage\ Products\ \rightarrow \ Energy\ Efficiency\ Devices\ \rightarrow \ Energy\ Meters$





