

PRODUCT-DETAILS

## **ISL-A 115**

## ISL-A 115 Insulation monitor



General Information	
Extended Product Type	ISL-A 115
Product ID	2CSM222000R1500
EAN	8012542942603
Catalog Description	ISI - A 115 Insulation monitor

Long Description ISL-A 115 is an insulation monitoring device for dc circuits

Technical	
Rated Operational Voltage	100 144 V DC
Rated Control Supply Voltage (U <sub>s</sub> )	(DC) 100144 V
Power Loss	at Rated Operating Conditions per Pole 4 W
Model Number	Basic device
Delay Time (T)	Release 00 second [unit of time]
Options Provided	DC network

Environmental	
RoHS Status	Following EU Directive 2011/65/EU
RoHS Information	9AKK106713A5707
Environmental	See RoHS Information

ISL-A 115 2

Information

Conflict Minerals	9AKK108468A3363
Reporting Template	
(CMRT)	

Dimensions	
Product Net Width	90 mm
Product Net Height	0.105 m
Product Net Depth / Length	58 mm
Product Net Weight	0.250 kg

Ordering	
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.5 kg

Certificates and Declarations	
Declaration of	9AKK106713A5707
Conformity - CE	

Installation	
Instructions and	No document needed
Manuals	

Popular Downloads	
Data Sheet, Technical	9AKK106930A8017
Information	

Classifications	
ETIM 8	EC001449 - Device for monitoring of safety-related circuits
ETIM 9	EC001449 - Device for monitoring of safety-related circuits
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	90303100
eClass	V11.0 : 27371819
Object Classification	F
Code	

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Modular\ DIN\ Rail\ Products \rightarrow Protection\ and\ Safety\ Devices \rightarrow Industrial\ Insulation\ Monitoring\ Devices$ 

